

Translation from Bulgarian

(cote of arms)

REPUBLIC OF BULGARIA

EXECUTIVE AGENCY BULGARIAN ACCREDITATION SERVICE

(logo)

ORDER

No. 444

Sofia, 14.07.2022 (dd/mm/yy)

On the basis of Art.10, para. 1, item 2a, of the Law on National Accreditation of Conformity Assessment Bodies and Item 5.3.1. according to item 4.3.8 f) of the BAS QR 2 Accreditation Procedure and on the basis of Art.62, para.2 of the Administrative Procedure Code in connection with the factual error committed and item 3 of the Instruction for identification of certificates for accreditation of conformity assessment bodies BAS QI 3.

I ORDER

In the accreditation certificate with registration number 130 OKC dated 10.06.2022, valid until 28.02.2026 and annex to it Order No. A 360/10.06.2022, issued to

**"Control Authority of Type C "Doverie"" "Occupational Medicine Service - Doverie"
EOOD, Sofia**

Management and office address:

1756, Sofia, Lachezar Stanchev St. 5, Sopharma Business Towers, office building B, floor 4, office 2

the following was reflected:

Existing text	New text	Ground/reason
1756, Sofia, Lachezar Stanchev St. 5, Sopharma Business Towers, office building B, floor 4, office 2	1756, Sofia, Region Izgrev, zh.k. Dianabad, Lachezar Stanchev St. 5, office building B, floor 4, office 2	A factual error committed in No. 130 OKC dated 10.06.2022, valid until 28.02.2026 and annex to it Order No. A 360/10.06.2022



To reissue the Accreditation Certificate with registration No. 130 OKC dated 10.06.2022 and amend the annex order No. A 360/10.06.2022 to it with the **validity period** specified in the existing certificate.

When receipt of the reissued certificate and/or annex, the accredited person is obligated to return to EXECUTIVE AGENCY BULGARIAN ACCREDITATION SERVICE the originals of the accreditation certificate reg. No. 130 OKC dated 10.06.2022 and annex order number A 360/10.06.2022.

The accreditation certificate with the application must be obtained from the manager/representative of the legal entity/sole trader, the head of EP and another authorized person in the building of EXECUTIVE AGENCY BULGARIAN ACCREDITATION SERVICE.

This order must be communicated to the legal entity/sole trader within 3 (three) days of its issuance.

CEO: (signature)

eng. Irena Borislavova

of EXECUTIVE AGENCY BULGARIAN ACCREDITATION SERVICE

(stamp)

EXECUTIVE AGENCY BULGARIAN ACCREDITATION SERVICE. REPUBLIC OF
BULGARIA

1797 Sofia, 52 A Dr. G.M. Dimitrov, fl.7

Phone number: +359 873 53 02; fax: (+3592) 873 53 03

e-mail: ea_bas@abv.bg

p. 1/1



(cote of arms)

REPUBLIC OF BULGARIA

EXECUTIVE AGENCY BULGARIAN ACCREDITATION SERVICE

(logo)

Party to the Multilateral Agreement on Mutual Recognition of an Executive Agency in this area

ORDER

No. A 445

Sofia, 14.07.2022 (dd/mm/yy)

On the basis of Art.10, para. 1, item 2a, of the Law on National Accreditation of Conformity Assessment Bodies and Item 5.3.1. according to item 4.3.8 f) of the BAS QR 2 Accreditation Procedure and on the basis of report incoming No. 55/130 OKC/15/B/20.06.2022 and order of EXECUTIVE AGENCY BULGARIAN ACCREDITATION SERVICE No. A 44/14.07.2022.

I AMEND ORDER No. A 360/10.06.2022

**"Control Authority of Type C "Doverie"" "Occupational Medicine Service - Doverie"
EOOD, Sofia**

Management and office address:

1756, Sofia, region Izgrev, zh.k. Dianabad, Lachezar Stanchev St. 5, office building B, floor 4,
office 2

To carry out control according to the following scope:

Scope type "flexible"



Number	Range of control	Type of control	Control parameter/characteristic	Test/measurement methods used in control; control procedure	Normative acts, standards, specifications, control schemes
1.	2.	3.	4.	5.	6.
1.	Electrical systems and facilities up to 1000V	On new and/or operational sites/facilities	Resistance of protective grounding systems	Regional user control 1	Ordinance No.3 of SG, nr.90 and 91/2004 Ordinance No.16 - 116 of SG, nr.26/2008, TC
			Resistance of lighting protection grounding systems	Regional user control 2	Ordinance No.4 of SG, nr.6/2011, TC
			Impedance of the "Phase protective conductor" loop	Regional user control 3	Ordinance No.3 of SG, nr.90 and 91/2004 Ordinance No.16 - 116 of SG, nr.26/2008, TC
			Insulation resistance	BULGARIAN STATE STANDARD 1986, p.3.3 a), b), e), f) Regional user control 4	Ordinance No.3 of SG, nr.90 and 91/2004 Ordinance No.16 - 116 of SG, nr.26/2008, TC
			Circuit breakers for protection against zero-sequence currents /Fi-circuit breakers/: Contact voltage, tripping time, tripping current.	Regional user control 5	Ordinance No.3 of SG, nr.90 and 91/2004 Ordinance No.16 - 116 of SG, nr.26/2008, TC



2.	Microclimate in working and domestic environments	On new and/or operational sites/facilities	Air temperature Relative air humidity Air movement speed	BULGARIAN STATE STANDARD 16686 Order No. RD-07-3, SP, nr.63/2014 Regional user control 6	Ordinance No.2, SG, 15/2007 Ordinance No.3, SG, nr.15/2007 Ordinance No.9, SG, nr.46/1994 Ordinance No.24, SG, nr.95/2003 Ordinance No. RD-07-3, SG, nr. 63/2014 BULGARIAN STATE STANDARD 14776, TC
3.	Made lighting in working and domestic environments	On new and/or operational sites / facilities	Illumination	Methodological guidelines for measuring and evaluating artificial lighting in buildings 40-85, issued Standardization 1985 Regional user control 7	Ordinance No.2, SG, 15/2007 Ordinance No.3, SG, nr.15/2007 Ordinance No.9, SG, nr.46/1994 Ordinance No.24, SG, nr.95/2003 Ordinance No. 49, SG, nr. 7/1976 BULGARIAN STATE STANDARD EN 12464-1, TC
4.	Noise				
4.1	Noise in the work environment	On new and/or in operation sites/facilities	Daily noise exposure level Average weekly	BULGARIAN STATE STANDARD EN ISO 9612 (BULGARIAN	Ordinance No. 6, SG nr. 70/2005 Ordinance No.



			noise exposure level Peak sound pressure level Noise level Equivalent noise level	STATE STANDARD ISO 1999) BULGARIAN STATE STANDARD 15471 Regional user control 8	7, SG nr. 88/1999/art.13 8/ Ordinance No.9, SG, nr.46/1994 TC
4.2	Noise in the premises of residential and public buildings	On new and/or in operation sites/facilities	Noise level Equivalent noise level	BULGARIAN STATE STANDARD 15471 Regional user control 8	Ordinance No.2, SG 15/2007, Ordinance No.6, SG, nr.58/2006, ap.2, table 1, Ordinance No.9, SG, nr.46/1994 Ordinance No. 24, SG, nr.95/2003, TC
4.3	Ambient noise		Equivalent noise level	BULGARIAN STATE STANDARD 15471 Regional user control 8	Ordinance No.6, SG, nr.58/2006, ap.2, table 2, T.C.

EXECUTIVE AGENCY BULGARIAN ACCREDITATION SERVICE

Ordinance No. A 445/14.07.2022

ONLY THE ORIGINAL DOCUMENT IS VALID

*The information of a new version of standards/documents or standards/documents that replace them is permitted. An up-to-date list of standards/documents with their dated versions is provided by EP.




Ordinance No.3 on the installation of electrical equipment and power lines - (Updated, SG nr. 90 of 13.10.2004 and nr. 91 of 14.10.2004)

Ordinance No. 16-116 on technical operation of energy equipment - (promulgated SG nr. 26 2008 of 07.03.2008)

Ordinance No. 4 on the lighting protection of buildings, outdoor facilities and open spaces - (SG nr. 45/2006)

Ordinance No. 2, SG nr. 15/2007 on the health requirements for computer and Internet rooms for public use;

Ordinance No. 3, SG, nr. 15/2007 on the health requirements for kindergartens;

Ordinance No. 9, SG nr. 46/1994 on the health and hygiene requirements for the use of personal computers in the education and extracurricular activities of students;

Ordinance No.24, SG nr. 95/2003 on sanitary and hygienic requirements for discotheques;

Ordinance No.RD-07-39, SG nr. 63/2014 on the minimum requirements for the microclimate of workplaces:

Ordinance No. 49, SG nr. 7/1976 on the made lighting of buildings;

Ordinance No. 6, SG nr. 70/2005 on the minimum requirements for ensuring the health and safety of workers at risks related to noise exposure;

Ordinance Nr. 6 SG, nr. 58/2006 on the indicators of noise in the environment taking into degree of discomfort during the different parts of the day, the limit values of the indicators of noise in the environment in the premises of residential and public buildings in zones and territories intended for residential construction, reaction zones and territories and zones mixed use the methods for assessing the value of noise indicators and the harmful effects of noise on the health of the population.

Ordinance No. 7, SG, nr. 88/1999 on the minimum requirements for healthy and safe working conditions at workplaces and when using work equipment;

I ORDER

To issue a Certificate of Accreditation with registration number 130 OKC from 14.07.2022 (dd/mm/yy) valid until 28.02.2026 with the present order attached, an inseparable part of it.

The certificate of accreditation with the application should be obtained from the manager/representative of "Occupational Medicine Service - Doverie" EOOD, the head of EP or another authorized person in the building of EXECUTIVE AGENCY BULGARIAN ACCREDITATION SERVICE.

When receipt of the issued certificate annex, the accredited person is obligated to return to the EXECUTIVE AGENCY BULGARIAN ACCREDITATION SERVICE the originals of the accreditation certificate registration No. 130 OKC from 10.06.2022 and the annex – order of



EXECUTIVE AGENCY BULGARIAN ACCREDITATION SERVICE No. A 360 from 10.06.2022.

This order must be communicated to "Occupational Medicine Service - Doverie" EOOD within 3 (three) days of its issuance.

(signature)

Irena Borislavova

Executive Director of EXECUTIVE AGENCY BULGARIAN ACCREDITATION SERVICE

(stamp)


EXECUTIVE AGENCY BULGARIAN ACCREDITATION SERVICE. REPUBLIC OF BULGARIA

Ordinance No. A 445/14.07.2022

I, the undersigned Desislava Leonidova Angelova, certify the authenticity of this translation, which I made from Bulgarian into English of this document. This translation consists of 8 pages.

Translator:

Desislava Leonidova Angelova





ЗАПОВЕД

№ 444

София, 14.07.2022

На основание чл. 10, ал. 1, т. 2а от Закона за националната акредитация на органи за оценяване на съответствието и т. 5.3.1 съгласно т. 4.3.8 ф) от Процедура за акредитация BAS QR 2 и на основание чл. 62, ал. 2 от Административнопроцесуалния кодекс във връзка с допуснатата фактическа грешка и т. III на Инструкцията за идентификация на сертификати за акредитация на органи за оценка на съответствието BAS QI 3

НАРЕЖДАМ:

В Сертификат за акредитация с рег. № 130 ОКС от 10.06.2022 г., валиден до 28.02.2026 г. и приложение към него Заповед №А 360/10.06.2022г., издадени на

**„Орган за контрол от вид С „ДОВЕРИЕ“
при „СТМ - Доверие“ ЕООД, гр. София**

Адрес на управление и на офис:

1756 гр. София ул. „Лъчезар Станчев“ № 5, „Софарма Бизнес Тауърс“, офис сграда Б, ет.4, офис 2

да се отрази следното:

Съществуващ текст	Нов текст	Основание/причина
1756 гр. София ул. „Лъчезар Станчев“ № 5, „Софарма Бизнес Тауърс“, офис сграда Б, ет.4, офис 2	1756 гр. София Район Изгрев, ж.к. Дианабад, ул. „Лъчезар Станчев“ № 5, офис сграда Б, ет.4, офис 2	Допуснатата фактическа грешка в № 130 ОКС от 10.06.2022 г., валиден до 28.02.2026 г. и приложение към него Заповед №А 360/10.06.2022г.

Да се преиздаде Сертификат за акредитация с рег. № 130 ОКС от 10.06.2022 г. и измени приложение заповед № А 360/ 10.06.2022г. към него със срок на валидност, посочен в съществуващия сертификат.

При получаване на преиздадения сертификат и/или приложение, акредитираното лице е длъжно да върне в ИА БСА оригиналите на сертификата за акредитация рег. № 130 ОКС от 10.06.2022 г. и приложение заповед № А 360/ 10.06.2022г.

Сертификатът за акредитация с приложението да се получат от управител/представител на юридическото лице/ едноличния търговец, ръководителя на ООС или друго упълномощено лице в сградата на ИА БСА.

Настоящата заповед да се съобщи на юридическото лице/едноличния търговец в 3 (три)- дневен срок от издаването ѝ.

инж. ИРЕНА БОРИСЛАВОВА

Изпълнителен директор

на Изпълнителна агенция „Българска служба за акредитация“



ЗАПОВЕД

№ А 445

София, 14.07.2022г.

На основание чл. 10, ал. 1, т. 2а от Закона за националната акредитацията на органи за оценяване на съответствието и т. 5.3.1 във връзка с т. 4.3.8 г) от Процедура за акредитация BAS QR 2 във връзка с доклад вх. № 55/130 ОКС/15/В/20.06.2022 и заповед на ИА БСА № А 444 /14.07.2022г.

ИЗМЕНЯМ ЗАПОВЕД № А 360/10.06.2022г.

Орган за контрол от вид С „ДОВЕРИЕ“ при „СТМ - Доверие“ ЕООД, гр. София

Адрес на управление и на офис:

1756 гр. София Район Изгрев, ж.к. Дианабад, ул. „Лъчезар Станчев“ № 5,
офис сграда Б, ет.4, офис 2

Да извършва контрол съгласно следния обхват:

Тип обхват: гъвкав*					
№ по ред	Област на контрол	Вид на контрола	Контролиран параметър/ характеристика	Методи за изпитване/ измерване използвани при контрол; процедура за контрол	Нормативни актове, стандарти, спецификации, схеми за контрол
1.	2.	3.	4.	5.	6.
1.	Електрически уредби и съоръжения до 1000 V	На нови и /или в експлоатация обекти/ съоръжения	Съпротивление на защитни заземителни уредби	РПК 1	Наредба № 3 ДВ, бр. 90 и 91/2004г. Наредба № 16-116 ДВ, бр. 26/2008г., ТС;
			Съпротивление на мълниезащитни заземителни уредби	РПК 2	Наредба № 4 ДВ, бр. 6/2011г. ТС;
			Импеданс на контура "фаза-защитен проводник"	РПК 3	Наредба № 3 ДВ, бр. 90 и 91/2004г. Наредба № 16-116 ДВ, бр. 26/2008 ТС;
			Съпротивление на изолация	БДС 1986, т. 3.3 а), б), д) и е) РПК 4	Наредба № 3 ДВ, бр. 90 и 91/2004г. Наредба № 16-116 ДВ, бр. 26/2008г. ТС;

			Прекъсвачи за защита от токове с нулева после дователност /Fi-прекъсвачи/; Допирно напрежение, Време за изключване, Ток на задействане.	РПК 5	Наредба № 3 ДВ, бр. 90 и91/2004г. Наредба № 16-116 ДВ, бр. 26/2008г., ТС;
2.	Микроклимат в работна и битова среда	На нови и /или в експлоатация обекти/ съоръжения	Температура на въздуха Относителна влажност на въздуха Скорост на движение на въздуха	БДС 16686 Наредба № РД-07-3, ДВ, бр. 63 / 2014 г. РПК 6	Наредба № 2, ДВ 15/2007г., Наредба № 3, ДВ, бр.15/2007 г., Наредба № 9, ДВ, бр. 46/1994 г., Наредба № 24, ДВ, бр. 95/2003г., Наредба № РД-07-3, ДВ, бр. 63 / 2014 г., БДС 14776, ТС
3.	Изкуствено осветление в работна и битова среда	На нови и /или в експлоатация обекти/ съоръжения	Осветеност	Методични указания за измерване и оценка на изкуствено осветление в сгради 40-85, изд. Стандартизация 1985г РПК 7	Наредба № 2, ДВ 15/2007г., Наредба № 3, ДВ, бр. 15/2007 г., Наредба № 9, ДВ, бр. 46/1994 г., Наредба № 24, ДВ, бр. 95/2003г., Наредба № 49 ДВ, бр. 7/1976 г., БДС EN 12464-1, ТС;
4.	Шум				
4.1	Шум в работна среда	На нови и /или в експлоатация обекти/ съоръжения	Дневно ниво на експозиция на шум Средноседмично ниво на експозиция на шум Върхово ниво на звуково налягане Ниво на шум Еквивалентно ниво на шум	БДС EN ISO 9612 (БДС ISO 1999) БДС 15471 РПК 8	Наредба № 6, ДВ бр. 70/2005г. Наредба № 7 ДВ, бр. 88/1999 г. /чл. 138/ Наредба № 9, ДВ, бр. 46/1994 г. ТС;
4.2	Шум в помещенията на жилищни и обществени сгради		Ниво на шум Еквивалентно ниво на шум	БДС 15471 РПК 8	Наредба № 2, ДВ 15/2007г., Наредба № 6, ДВ, бр. 58/2006г. прил. 2, табл. 1, Наредба № 9, ДВ, бр. 46/1994 г., Наредба № 24, ДВ, бр. 95/2003г., ТС;

4.3	Шум в околна среда		Еквивалентно ниво на шум	БДС 15471, РПК 8	Наредба № 6, ДВ бр. 58/2006г., прил. 2, табл. 2, ТС;
-----	--------------------	--	--------------------------	---------------------	--

* Въвеждането на нова версия на стандарти/документи или стандарти/документи, които ги заменят е разрешено. Актуален списък на стандартите/документите с техните датирани версии се предоставя от ООС

Наредба № 3 за устройство на електрически уредби и електропроводните линии - (Обн., ДВ, бр. 90 от 13.10.2004 г. и бр. 91 от 14.10.2004 г.)

Наредба № 16-116 за техническа експлоатация на енергообзавеждане - (Обн. ДВ бр.26 2008г. от 07.03.2008г.)

Наредба № 4 за мълниезащитата на сгради, външни съоръжения и открити пространства - (ДВ бр. 45/2006)

Наредба № 2, ДВ 15/2007г. за здравните изисквания към компютърните и интернет зали за обществено ползване;

Наредба № 3, ДВ, бр.15/2007 г. за здравните изисквания към детските градини;

Наредба № 9, ДВ, бр. 46/1994 г. за здравно-хигиенните изисквания при използване на персонални компютри в обучението и извънучебните дейности на учениците;

Наредба № 24, ДВ, бр. 95/2003г. за санитарно-хигиенните изисквания към дискотеките;

Наредба № РД-07-3, ДВ, бр. 63 / 2014 г. за минималните изисквания за микроклимата на работните места;

Наредба № 49 ДВ, бр. 7/1976 г. за изкуствено осветление на сградите;

Наредба № 6, ДВ бр. 70/2005г за минималните изисквания за осигуряване на здравето и безопасността на работещите при рискове, свързани с експозиция на шум;

Наредба № 6, ДВ, бр. 58/ 2006 г. за показателите за шум в околната среда, отчитащи степента на дискомфорт през различните части на денонощието, граничните стойности на показателите за шум в околната среда, в помещенията на жилищни и обществени сгради, в зони и територии, предназначени за жилищно строителство, рекреационни зони и територии и зони със смесено предназначение, методите за оценка на стойностите на показателите за шум и на вредните ефекти от шума върху здравето на населението;

Наредба № 7 ДВ, бр. 88/1999г. за минималните изисквания за здравословни и безопасни условия на труд на работните места и при използване на работно оборудване;

НАРЕЖДАМ

Да се издаде Сертификат за акредитация с рег. № 130 ОКС от 14.07.2022г. валиден до 28.02.2026 г. с приложение настоящата заповед, неделима част от него.

Сертификатът за акредитация с приложението да се получат от управител/представител на „СТМ-Доверие“ ЕООД, ръководителя на ООС или друго упълномощено лице в сградата на ИА БСА.

При получаване на издадения сертификат и приложение, акредитираното лице е длъжно да върне в ИА БСА оригиналите на сертификат за акредитация рег. №130 ОКС от 10.06.2022г. и приложение - заповед на ИА БСА №А 360 от 10.06 2022г.

Настоящата заповед да се съобщи на „СТМ-Доверие“ ЕООД, гр. София в 3 (три)-дневен срок от издаването ѝ.

ИРЕНА БОРИСЛАВОВА
Изпълнителен директор на ИА БСА